

ÖZEL KESİT PROFİL ÜRETİM TABLOSU

BOYUNA KAYNAKLI ÇELİK DÜZ OVAL KESİTLİ PROFİLLER	
LONGITUDINALLY HIGH-FREQUENCY WELDED STEEL OVAL SECTION PROFILES	
DIN EN 10130	
Et Kalınlıkları(mm)/Thickness	
Dış Boyutlar /External Dimensions(mm)	0.28 0.32 0.34 0.35 0.38 0.40 0.45 0.50 0.55 0.60 0.70 0.80 0.90 1 1.2 1.5
16*24	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
15*30	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
15*35	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
20*40	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓

BOYUNA KAYNAKLI ÇELİK ELİPS PROFİLLER	
LONGITUDINALLY HIGH-FREQUENCY WELDED STEEL ELLIPSE PROFILES	
DIN EN 10130	
Et Kalınlıkları(mm)/Thickness	
Dış Boyutlar /External Dimensions(mm)	0.28 0.32 0.34 0.35 0.38 0.40 0.45 0.50 0.55 0.60 0.70 0.80 0.90 1 1.2 1.5
11,4*21,9	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
15,5*25,9	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
21*29	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
19,7*29,7	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓

BOYUNA KAYNAKLI ÇELİK ÖZEL KESİT PROFİLLER	
LONGITUDINALLY HIGH-FREQUENCY WELDED STEEL SPECIAL SECTION PROFILES	
DIN EN 10130	
Et Kalınlıkları(mm)/Thickness	
Dış Boyutlar /External Dimensions(mm)	0.28 0.32 0.34 0.35 0.38 0.40 0.45 0.50 0.55 0.60 0.70 0.80 0.90 1 1.2 1.5
18.8*27	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
13.7*22.7	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
9.8*18.8	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓

BOYUNA KAYNAKLI ÇELİK ÖZEL KESİT PROFİLLER	
LONGITUDINALLY HIGH-FREQUENCY WELDED STEEL SPECIAL SECTION PROFILES	
DIN EN 10130	
Et Kalınlıkları(mm)/Thickness	
Dış Boyutlar /External Dimensions(mm)	0.28 0.32 0.34 0.35 0.38 0.40 0.45 0.50 0.55 0.60 0.70 0.80 0.90 1 1.2 1.5
11,1*19,6	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
15.6*23.5	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
16.5*24.15	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓

BOYUNA KAYNAKLI ÇELİK ÖZEL KESİT PROFİLLER	
LONGITUDINALLY HIGH-FREQUENCY WELDED STEEL SPECIAL SECTION PROFILES	
DIN EN 10130	
	Et Kalınlıkları(mm)/Thickness
Dış Boyutlar /External Dimensions(mm)	0.28 0.32 0.34 0.35 0.38 0.40 0.45 0.50 0.55 0.60 0.70 0.80 0.90 1 1.2 1.5
14.0*20,2	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
17.8*24,2	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
21.6*28	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
21.6*28,6	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓

BOYUNA KAYNAKLI ÇELİK D KESİT PROFİLLER	
LONGITUDINALLY HIGH-FREQUENCY WELDED STEEL D SECTION PROFILES	
DIN EN 10130	
	Et Kalınlıkları(mm)/Thickness
Dış Boyutlar /External Dimensions(mm)	0.28 0.32 0.34 0.35 0.38 0.40 0.45 0.50 0.55 0.60 0.70 0.80 0.90 1 1.2 1.5
13.8*20,2	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
18,5*24,5	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
23*29	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
14*34	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓

BOYUNA KAYNAKLI ÇELİK ÖZEL KESİT PROFİLLER	
LONGITUDINALLY HIGH-FREQUENCY WELDED STEEL SPECIAL SECTION PROFILES	
DIN EN 10130	
	Et Kalınlıkları(mm)/Thickness
Dış Boyutlar /External Dimensions(mm)	0.28 0.32 0.34 0.35 0.38 0.40 0.45 0.50 0.55 0.60 0.70 0.80 0.90 1 1.2 1.5
11.5*16,5	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
15*20	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
18.5*24	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓


BOYUNA KAYNAKLI ÇELİK ÖZEL KESİT PROFİLLER	
LONGITUDINALLY HIGH-FREQUENCY WELDED STEEL SPECIAL SECTION PROFILES	
DIN EN 10130	
	Et Kalınlıkları(mm)/Thickness
Dış Boyutlar /External Dimensions(mm)	0.28 0.32 0.34 0.35 0.38 0.40 0.45 0.50 0.55 0.60 0.70 0.80 0.90 1 1.2 1.5
21.6*28	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
21.6*28,6	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓

BOYUNA KAYNAKLI ÇELİK ÖZEL KESİT PROFİLLER	
LONGITUDINALLY HIGH-FREQUENCY WELDED STEEL SECTION PROFILES	
DIN EN 10130	
	Et Kalınlıkları(mm)/Thickness
Dış Boyutlar /External Dimensions(mm)	0.28 0.32 0.34 0.35 0.38 0.40 0.45 0.50 0.55 0.60 0.70 0.80 0.90 1 1.2 1.5
11*19	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
15.5*23.5	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
19.5*27.5	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓

BOYUNA KAYNAKLI ÇELİK ÖZEL KESİT PROFİLLER	
LONGITUDINALLY HIGH-FREQUENCY WELDED STEEL D SECTION PROFILES	
DIN EN 10130	
	Et Kalınlıkları(mm)/Thickness
Dış Boyutlar /External Dimensions(mm)	0.28 0.32 0.34 0.35 0.38 0.40 0.45 0.50 0.55 0.60 0.70 0.80 0.90 1 1.2 1.5
11,1*19,6	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
15.6*23.5	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
16.5*24.15	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓

BOYUNA KAYNAKLI ÇELİK DİKDÖRTGEN VE KARE PROFİLLER	
LONGITUDINALLY HIGH-FREQUENCY WELDED STEEL SQUARE AND RECTANGLE PROFILES	
DIN EN 10130	
	Et Kalınlıkları(mm)/Thickness
Dış Boyutlar /External Dimensions(mm)	0.28 0.32 0.34 0.35 0.38 0.40 0.45 0.50 0.55 0.60 0.70 0.80 0.90 1 1.2 1.5
10*20 20*20	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
16*16 20*30	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
15*25 12*12	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
25*25	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓

BOYUNA KAYNAKLI FIÇI ÖZEL KESİT PROFİLLER	
LONGITUDINALLY HIGH-FREQUENCY WELDED SPECIAL SECTOIN PROFILES	
DIN EN 10130	
	Et Kalınlıkları(mm)/Thickness
Dış Boyutlar /External Dimensions(mm)	0.28 0.32 0.34 0.35 0.38 0.40 0.45 0.50 0.55 0.60 0.70 0.80 0.90 1 1.2 1.5
13,8*22	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
18.5*25.70	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
10.5*18.30	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓

		BOYUNA KAYNAKLI ÇİÇEK DESENİ PROFİL															
		LONGITUDINALLY HIGH-FREQUENCY WELDED FLORAL PATTERNED PROFILE															
		DIN EN 10130															
				Et Kalınlıkları(mm)/Thickness													
Dış Boyutlar /External Dimensions(mm)		0.28	0.32	0.34	0.35	0.38	0.40	0.45	0.50	0.55	0.60	0.70	0.80	0.90	1	1.2	1.5
Ø22		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓					
Ø25		Üretim sürecindedir															